



# VI-JON<sup>®</sup> Safety Data Sheet

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

Product Name: Alcohol 70% Isopropyl  
Item Number: 810AA

### Other means of identification

Synonyms: None

### Recommended use of the chemical and restrictions on use

Recommended Use: First Aid  
Uses advised against: No information available

### Details of the supplier of the safety data sheet

#### **Supplier Address**

Vi-Jon Inc.  
8800 Page Avenue  
Saint Louis  
MO  
63114  
US  
Phone: 314-427-1000 (M-F 8am-4pm CST)  
Fax:3144271010

Emergency telephone number Chemtrec: 1-800-424-9300 (24-Hour)

## 2. HAZARDS IDENTIFICATION


### Classification

This product contains a chemical or chemicals considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.122).

Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 3

### GHS Label elements, including precautionary statements

#### Emergency Overview

<b>Signal word</b>	<b>Danger</b>	
<b>Hazard statements</b> May cause drowsiness or dizziness Flammable liquid and vapor		
		
<b>Appearance</b> Clear, Colorless, Water-thin liquid	<b>Physical State</b> Water-thin liquid	<b>Odor</b> Alcohol

#### **Precautionary Statements - Prevention**

Avoid breathing fume/gas/mist/vapors/spray  
Use only outdoors or in a well-ventilated area  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
Keep container tightly closed  
Ground/bond container and receiving equipment  
Use explosion-proof electrical/ventilating/lighting/equipment  
Use only non-sparking tools  
Take precautionary measures against static discharge  
Wear protective gloves/protective clothing/eye protection/face protection  
Keep cool

#### **Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label)

#### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.

#### **Inhalation**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
Call a POISON CENTER or doctor/physician if you feel unwell.

#### **Fire**

In case of fire: Use CO2, dry chemical, or foam for extinction.

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed.  
Store locked up.

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

**Hazards not otherwise classified (HNOC)**

Not Applicable

**Unknown Toxicity**

0% of the mixture consists of ingredient(s) of unknown toxicity

**Other information**

Prolonged or repeated contact may dry skin and cause irritation

**Interactions with Other Chemicals**

No information available

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS-No	Weight %	Trade Secret
70% Isopropyl Alcohol by volume	67-63-0	50-100	*
Water	7732-18-5	10-50	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret

**4. FIRST AID MEASURES**

**First aid measures**

**Eye Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if applicable, and continue flushing. If symptoms persist, call a physician.

**Skin Contact**

In the case of skin irritation or allergic reactions see a physician.

**Inhalation**

Move to fresh air. If symptoms persist, call a physician.

**Ingestion**

Do NOT induce vomiting. Clean mouth with water and afterwards drink plenty of water. Never give anything by mouth to an unconscious person. Consult a physician.

**Protection of First-aiders**

Use personal protective equipment. Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. For personal protection see Section 8.

**Most important symptoms and effects, both acute and delayed**

**Most Important Symptoms/Effects**

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

**Indication of any immediate medical attention and special treatment needed**

**Notes to Physician**

Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Dry chemical. Carbon dioxide (CO<sub>2</sub>). Water spray. Alcohol-resistant foam.

### Unsuitable Extinguishing Media

Do not use a solid water stream as it may scatter and spread fire.

### Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations

<b>Uniform Fire Code</b>	Flammable Liquid: I-B Irritant: Liquid
--------------------------	---

### Hazardous Combustion Products

Carbon oxides.

### Explosion Data

<b>Sensitivity to Mechanical Impact</b>	No
---	----

<b>Sensitivity to Static Discharge</b>	Yes
--	-----

### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Move containers from fire area if you can do it without risk.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

#### **Personal Precautions**

Ensure adequate ventilation. Use personal protective equipment. Evacuate personnel to safe areas. Refer to Section 8 Avoid contact with skin, eyes and clothing. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

#### **Other Information**

Refer to protective measures listed in Sections 7 and 8. Ventilate the area.

### Environmental precautions

#### **Environmental Precautions**

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

### Methods and material for containment and cleaning up

#### **Methods for Containment**

Prevent further leakage or spillage if safe to do so. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Stop spill from entering drains, sewers, streams, or waterways.

#### **Methods for Cleaning Up**

Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Handling** Handle in accordance with good industrial hygiene and safety practice. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing vapors or mists. Keep away from heat, sparks and open flame. No smoking.

### Conditions for safe storage, including any incompatibilities

**Storage** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

**Incompatible Products** Strong oxidizing agents. Acids. Chlorinated compounds.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm 10% LEL TWA: 980 mg/m <sup>3</sup> TWA: 400 ppm STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

**Other Exposure Guidelines** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

### Appropriate engineering controls

**Engineering Measures** Showers  
Eyewash stations  
Ventilation systems

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Tightly fitting safety goggles.

**Skin and Body Protection** Wear protective gloves/clothing. Long sleeved clothing. Chemical resistant apron. Impervious gloves. Antistatic boots

**Respiratory Protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Wash hands before breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and Chemical Properties

<b>Physical State</b>	Water thin liquid	<b>Odor</b>	Alcohol
<b>Appearance</b>	Clear, Colorless, Water thin liquid	<b>Odor Threshold</b>	No information available
<b>Color</b>	No information available		
<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks/ Method</u></b>	
<b>pH</b>	No data available	None known	
<b>Melting/freezing point</b>	No data available	None known	
<b>Boiling Point/Range</b>	No data available	None known	
<b>Flash Point</b>	22C / 72F	None known	
<b>Evaporation rate</b>	No data available	None known	
<b>Flammability (solid, gas)</b>	No data available	None known	
<b>Flammability Limits in Air</b>			
<b>Upper flammability limit</b>	No data available		
<b>Lower flammability limit</b>	No data available		
<b>Vapor pressure</b>	No data available	None known	
<b>Vapor density</b>	No data available	None known	
<b>Specific Gravity</b>	No data available	None known	
<b>Water Solubility</b>	Miscible with water	None known	
<b>Solubility in other solvents</b>	No data available	None known	
<b>Partition coefficient: n-octanol/water</b>		None known	
<b>Autoignition temperature</b>	No data available	None known	
<b>Decomposition temperature</b>	No data available	None known	
<b>Kinematic viscosity</b>	No data available	None known	
<b>Dynamic viscosity</b>		None known	
<b>Explosive Properties</b>	No data available		
<b>Oxidizing Properties</b>	No data available		
<b><u>Other Information</u></b>			
<b>Softening Point</b>	No data available		
<b>VOC Content (%)</b>	No data available		
<b>Particle Size</b>	No data available		
<b>Particle Size Distribution</b>	No data available		

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Hazardous Polymerization

Hazardous polymerization does not occur.

### Conditions to avoid

Heat, flames and sparks.

### Incompatible materials

Strong oxidizing agents. Acids. Chlorinated compounds.

### Hazardous Decomposition Products

Carbon oxides.

When used in accordance with the directions.

## 11. TOXICOLOGICAL INFORMATION

There is no data for this product. The information included in this section describes the potential hazards of the individual ingredients.

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	May cause drowsiness and dizziness. May cause irritation of respiratory tract.
<b>Eye Contact</b>	May cause redness, itching, and pain. May cause temporary eye irritation.
<b>Skin Contact</b>	Prolonged contact may cause redness and irritation.
<b>Ingestion</b>	Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Isopropyl Alcohol 67-63-0	= 4396 mg/kg ( Rat )	= 12800 mg/kg ( Rabbit )	= 16000 ppm ( Rat ) 8 h

### Information on toxicological effects

**Symptoms** Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.

**Mutagenic Effects** No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol 67-63-0		Group 3		X

**IARC:** (International Agency for Research on Cancer)  
Group 3 - Not Classifiable as to Carcinogenicity in Humans  
**OSHA:** (Occupational Safety & Health Administration)  
X - Present

**Reproductive Toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Chronic Toxicity** None known.

**Target Organ Effects** Eyes. Respiratory system. Skin. Central nervous system (CNS).

**Aspiration Hazard** No information available.

### Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)**

7,020.00 mg/kg

**ATEmix (dermal)**

20,440.00 mg/kg (ATE)

**ATEmix (inhalation-vapor)**

88.81 ATEmix

## 12. ECOLOGICAL INFORMATION

There is no ecological data on the Product. The Product ingredients are expected to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios. Packaging components are compatible with the conventional solid waste management practices.

### Ecotoxicity

No information available.

### Persistence and Degradability

No information available.

### Bioaccumulation

No information available.

### Other Adverse Effects

No information available.

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

#### **Waste Disposal Methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261).

#### **Contaminated Packaging**

Dispose of in accordance with local regulations.

#### **US EPA Waste Number**

D001

#### **California Hazardous Waste Codes**

331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Isopropyl Alcohol 67-63-0	Toxic Ignitable



Product Number: 810AA  
Issuing Date: November 4, 2014

Revision Date: None

Product Name: Alcohol 70% Isopropyl  
Revision Number: 0

## 14. TRANSPORT INFORMATION

**DOT**  
Proper Shipping Name CONSUMER COMMODITY  
Hazard Class ORM-D  
Description CONSUMER COMMODITY,ORM-D  
Emergency Response Guide Number 129

**TDG**  
UN-No UN1219  
Proper Shipping Name ISOPROPANOL  
Hazard Class 3  
Packing Group II  
Description UN1219,ISOPROPANOL,3,PG II

**MEX**  
UN-No UN1219  
Proper Shipping Name ISOPROPANOL  
Hazard Class 3  
Packing Group II  
Description UN1219 ISOPROPANOL,3,II

**ICAO**  
UN-No UN1219  
Proper Shipping Name ISOPROPYL ALCOHOL  
Hazard Class 3  
Packing Group II  
Description UN1219,ISOPROPYL ALCOHOL,3,PG II

**IATA**  
UN-No UN1219  
Proper Shipping Name ISOPROPANOL  
Hazard Class 3  
Packing Group II  
Description UN1219,ISOPROPYL ALCOHOL,3,PG II

**IMDG/IMO**  
UN-No UN1219  
Proper Shipping Name ISOPROPANOL  
Hazard Class 3  
Packing Group II  
EmS No. F-E, S-D  
Description UN1219, ISOPROPANOL,3,PG II

**RID**  
UN-No UN1219  
Proper Shipping Name ISOPROPANOL  
Hazard Class 3  
Packing Group II  
Classification Code F1  
Description UN1219 ISOPROPANOL,3,II

**ADR**  
UN-No UN1219  
Proper Shipping Name ISOPROPANOL  
Hazard Class 3  
Packing Group II  
Classification Code F1  
Description UN1219 ISOPROPANOL,3,II

**ADN**  
UN-No UN1219  
Proper Shipping Name ISOPROPANOL  
Hazard Class 3  
Packing Group II  
Classification Code F1  
Special Provisions 601  
Description UN1219 ISOPROPANOL,3,II  
Limited Quantity 3  
Ventilation LQ4

**15. REGULATORY INFORMATION**

**International Inventories**

TSCA Exempt  
DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**U.S. Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Isopropyl Alcohol	67-63-0	50-100	1.0

**SARA 311/312 Hazard Categories**

Acute Health Hazard Yes  
Chronic Health Hazard No  
Fire Hazard Yes  
Sudden Release of Pressure Hazard No  
Reactive Hazard No

**Clean Water Act**

This product does not contain any ingredients regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CERCLA**

This material, as supplied, does not contain any ingredients regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

**U.S. State Regulations**

**California Proposition 65 - NONE**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Isopropyl Alcohol 67-63-0	X	X	X	X	

**International Regulations**

Mexico - Grade No information available.

**National occupational exposure limits**

Chemical Name	Carcinogen Status	Exposure Limits
Isopropyl Alcohol		Mexico: TWA 400 ppm Mexico: TWA 980 mg/m <sup>3</sup> Mexico: STEL 500 ppm Mexico: STEL 1225 mg/m <sup>3</sup>

Canada

WHMIS Hazard Class

B2  
D2B



Product Number: 810AA  
Issuing Date: November 4, 2014

Revision Date: None

Product Name: Alcohol 70% Isopropyl  
Revision Number: 0

## 16. OTHER INFORMATION

<b>NFPA</b>	Health Hazard 2	Flammability 3	Instability 0	Physical and Chemical Hazards - None
<b>HMIS</b>	Health Hazard 2	Flammability 3	Physical Hazard 0	Personal Protection X

Prepared By WERCS Professional Services, LLC  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

Issuing Date November 4, 2014

Revision Date None

Revision Note None

### General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Approved and Updated by Vi-Jon, Inc.

### Disclaimer:

The information and recommendations contained in the Safety Data Sheet (SDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date hereof.

Vi-Jon, however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will Vi-Jon be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information.

No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made hereunder with respect to information or the product to which the information refers. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this SDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof.

**End of Safety Data Sheet**