SAFETY DATA SHEET



Issue Date 23-Jun-2011 Revision Date 3-Mar-2015 Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Smart Strip Aerosol

Other Means of Identification

SDS # DCI-65

UN/ID No UN1950

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Paint remover.

Details of the Supplier of the Safety Data Sheet

Supplier Address Dumond Chemicals, Inc. 83 General Warren Blvd Suite 190 Malvern, PA 19355

Emergency Telephone Number

Company Phone Number 1-609-655-7700

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

Germ cell mutagenicity Category 1B

Signal Word Danger

Hazard Statements

May cause genetic defects



Appearance White liquid Aerosols
Precautionary Statements - Prevention

Physical State Liquid

Odor Slight characteristic odor

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

DCI-65 - Smart Strip Aerosol Revision Date 3-Mar-2015

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)

Pressurized container: May burst if heated

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	40-60
Dimethyl ether	115-10-6	20-30
Titanium dioxide	13463-67-7	1-5
Isobutane	75-28-5	1-5

Chemical Additions

Contains 30-50% proprietary ingredients

4. FIRST AID MEASURES

First Aid Measures

General advice If exposed or concerned: Get medical advice/attention.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

respiration. Get medical attention if necessary.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Ingestion If conscious give 1 glass of water to dilute. Do NOT induce vomiting. Never give anything by

mouth to a person who is unconscious or convulsing. Immediate medical attention is

required.

Skin Contact Wash thoroughly with soap and water until no traces of the chemical remain. Remove and

wash contaminated clothing before reuse. Get medical attention if irritation occurs.

Most Important Symptoms and Effects, both Acute and Delayed

Symptoms May cause irritation to the mucous membranes and upper respiratory tract. May cause

respiratory irritation, dizziness, headache, cardiac disturbances, unconsciousness or death. May cause central nervous system effects. May cause irritation, redness and pain. Area of contact may become numb due to anesthetic effects. May cause gastrointestinal irritation,

nausea, diarrhea, and vomiting.

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

DCI-65 - Smart Strip Aerosol Revision Date 3-Mar-2015

Suitable Extinguishing Media

Dry chemical, CO2 or water spray. Foam.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Contents under pressure. Exposure of containers to extreme heat and flames can cause them to rupture with violent force. No flame extension or flashback.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out. Use shielding to protect against bursting cans.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wear appropriate

protective clothing and equipment to prevent contact.

Environmental Precautions Keep out of waterways.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent runoff to storm sewers and ditches leading to natural waterways.

Methods for Cleaning Up Contain and collect with an inert absorbent and place into an appropriate container for

disposal. Wash spill area with plenty of water. Spills and releases may have to be reported

to Federal and/or local authorities. See section 15.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Avoid contact with skin and eyes. Avoid breathing vapors or mists. Wash thoroughly with

soap and water after handling. Keep containers closed when not in use. Keep out of the reach of children. Do not puncture or incinerate cans. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Follow all SDS/label precautions even after container is emptied because it may retain product

residues. Use personal protection recommended in Section 8.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions Store in a cool, dry, well-ventilated place. Do not store at temperatures above 120°F.

Protect from direct sunlight. Do not place can in hot water or near radiators, stoves, or other

sources of heat. Protect container from physical damage. Store locked up.

Incompatible Materials Incompatible with strong acids and bases. Strong oxidizing agents. Reducing agent.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH

Titanium dioxide 13463-67-7	TWA: 10 mg/m³	TWA: 15 mg/m³ total dust (vacated) TWA: 10 mg/m³ total dust	IDLH: 5000 mg/m ³
Isobutane 75-28-5	TWA: 1000 ppm	-	TWA: 800 ppm TWA: 1900 mg/m ³

Appropriate Engineering Controls

Engineering Controls Good general room ventilation (equivalent to outdoors) should be adequate under normal

conditions. If the recommended exposure limit is exceeded increased mechanical ventilation such as local exhaust may be required. For operations where contact can occur, a safety

shower and an eye wash facility should be available.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection Chemical safety goggles/faceshield. Do not wear contact lenses.

Skin and Body Protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact. Butyl rubber or other impervious gloves are

required.

Respiratory Protection None needed under normal use conditions with adequate ventilation. If the occupational

> exposure limits are exceeded, a NIOSH approved respirator with acid gas cartridges or supplied air respirator appropriate for the form and concentration of the contaminants should be used. Selection and use of respiratory equipment must be in accordance with

OSHA 1910.134 and good industrial hygiene practice.

Handle in accordance with good industrial hygiene and safety practice. **General Hygiene Considerations**

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State Liquid

White liquid Aerosols **Appearance** Odor Slight characteristic odor

Color White Odor threshold Not determined

Property Remarks • Method Values

pН

Melting point/freezing point Not available Boiling point/boiling range Not available Flash point None (concentrate) **Evaporation rate** Not determined Flammability (solid, gas) Not determined

Flammability limits in air

Upper flammability limits Not determined Lower flammability limit Not determined Vapor pressure Not determined Vapor density Not determined

Specific gravity 1.05

Water solubility Soluble in water Solubility in other solvents Not determined Partition coefficient Not available **Autoignition temperature** Not available **Decomposition temperature** Not determined Kinematic viscosity Not determined **Dynamic viscosity** Not determined **Explosive properties** Not determined **Oxidizing Properties** Not determined

DCI-65 - Smart Strip Aerosol Revision Date 12-Dec-2012

Other Information

VOC Content (%) 0% VOC Content 0 lbs/gal

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Avoid temperatures above 120 °F. Heat, flames and sparks. Contact with incompatible materials.

Incompatible Materials

Incompatible with strong acids and bases. Strong oxidizing agents. Reducing agent.

Hazardous Decomposition Products

May oxidize with air to form benzaldehyde and benzoic acid. Thermal decomposition may yield carbon dioxide, carbon monoxide, and nitrogen oxides.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Inhalation Avoid breathing vapors or mists.

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Ingestion Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Dimethyl ether 115-10-6	-	-	= 308.5 mg/L (Rat) 4 h
Titanium dioxide 13463-67-7	> 10000 mg/kg(Rat)	-	-
Isobutane 75-28-5	-	-	= 658 mg/L (Rat) 4 h

Information on Physical, Chemical and Toxicological Effects

Symptoms May cause irritation to the mucous membranes and upper respiratory tract. May cause

central nervous system effects. May cause eye irritation. Area of contact may become numb due to anesthetic effects. May cause vomiting and diarrhea. Prolonged breathing of

vapors may cause nausea, headache, weakness and/or dizziness.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Germ cell mutagenicity May cause genetic defects.

Carcinogenicity Titanium dioxide is a possible carcinogen when it appears as a respirable dust.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium dioxide		Group 2B		Х
13463-67-7				

Numerical Measures of Toxicity- Product

Not determined

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 240000 mg/kg ATEmix (inhalation-dust/mist) 1168.2 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal

Persistence and Degradability

Material is readily biodegradable.

Bioaccumulation

The product has low potential for bioaccumulation.

Mobility

Not determined.

Chemical Name	Partition coefficient
Dimethyl ether 115-10-6	-0.18
Isobutane 75-28-5	2.88

Other Adverse Effects Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Revision Date 12-Dec-2012

14. TRANSPORT INFORMATION

Note Based on package size, product may be eligible for limited quantity exception

DOT

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2

IATA

UN/ID No UN1950

Proper Shipping Name Aerosols, non-flammable

Hazard Class 2.2

IMDG

UN/ID No UN1950
Proper Shipping Name Aerosols
Hazard Class 2.2

15. REGULATORY INFORMATION

International Inventories

TSCA Listed
DSL Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances IECSC

- China Inventory of Existing Chemical Substances **KECL** -

Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 311/312 Hazard Categories

Acute health hazardYesChronic Health HazardNoFire hazardNoSudden release of pressure hazardYesReactive HazardNo

US State Regulations

Chemical Name	California Proposition 65	
Titanium dioxide - 13463-67-7	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Dimethyl ether 115-10-6	X	X	X
Titanium dioxide 13463-67-7	X	X	X
Isobutane 75-28-5	Х	X	X

U.S. EPA Label Information

Revision Date 12-Dec-2012

16. OTHER INFORMATION

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards140Not determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal ProtectionNot determinedNot determinedNot determinedNot determined

Issue Date23-Jun-2011Revision Date12-Dec-2012Revision NoteNew format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet